



Ladders and scaffold systems



ClimTec
System



The new aluminum working scaffold – even safer now!



DIN EN 1004-1

The DIN EN 1004-1 specifies requirements on the functionality of mobile working platforms up to a working height of 12 m inside and 8 m outside which are composed of prefabricated components.

It controls the safety relevant technical requirements of the material, physical dimensions and load assumptions.

Based on the regular cycle revision of the NORM, it will be effective from 01/12/2021. From this day on mobile working platforms have to be equipped with a consecutive railing which has to guarantee a safeguard before even entering the platform. The distance between 2 platforms shall not exceed 2 m.

Always working in conformance to the regulation with KRAUSE - starting on 15/11/2021 we will deliver all mobile scaffolds from the ClimTec® family according to the revised NORM.

ClimTec® System



The flexible aluminum working scaffold for a speedy application indoor and outdoor.



Working height approx. 3,00 m


Working height approx. 5,00 m

Working height approx. 7,00 m

The new highlights:



The innovative guardrail frame „GuardMatic-System“ guarantees a simple and safe assembly by a complete integration of the diagonal braces.



The six-point-fixation ensures a maximum of stability aloft.



In each package is a platform included, so that the maximum distance of 2 m between the platforms is guaranteed.



Composition of the packages:

	0	1	2	0 1 2
	Basic Scaffold	I. Extension	II. Extension	Complete scaffold
Art.-No.	Art.-No.	Art.-No.	Art.-No.	
710116	710123	710147	710222	
2	0	0	2	
4	0	0	4	
0	1	2	3	
0	2	0	2	
1	2	2	3	
1	1	1	3	
1	1	0	2	
0	2	0	2	
0	2	0	2	
0	1	1	2	
0	7	5	12	
0	2	4	4	

Single parts

Art.-No.	Article description
715067	ClimTec® Basic frame 1,75 x 0,65 m
714008	ClimTec® Sliding stabiliser
715012	ClimTec® Vertical frame 2,00 x 0,65 m
715029	ClimTec® Vertical frame 1,00 x 0,65 m
712707	ClimTec® Diagonal brace 1,89 m
711007	ClimTec® Platform with hatch 1,50 x 0,60 m
712806	ClimTec® Rail brace 1,59 m
713001	ClimTec® Longitudinal board 1,50 m
713506	ClimTec® Transversal board 0,70 m
714305	ClimTec® Stabilisation set
214607	ClimTec® Gravity pin 40
710673	ClimTec® GuardMatic-System

ClimTec® System EXTRAS


Set of castors



Ø 125 mm

Art.-No. 714169

Set of castors



Height-adjustable

Ø 150 mm

Art.-No. 914323

Ballast weight



Weight

10,0 kg

Art.-No. 704306

Outrigger



Quantity

Piece

Art.-No. 714039

Existing and new packages can be combined!

It is always possible to build up the scaffold according to the NORM based on the compatibility of the **existing** and the **new** ClimTec® packages.

Compatible
with existing ClimTec®-System

! Retailers can sell stock goods also after entry into force of the new NORM even if the ClimTec® packages and single parts are still produced in accordance to the former version of the NORM.

ClimTec® Basic scaffold	0 (Stock)		Art.-No. 710116	✓	✓	✓	✓	✓
ClimTec® Package	1 (Stock)		Art.-No. 710130			✓		
ClimTec® Package	1	NEW!	Art.-No. 710123		✓		✓	✓
ClimTec® Package	2 (Stock)		Art.-No. 710154				✓	
ClimTec® Package	2	NEW!	Art.-No. 710147			✓		✓
ClimTec® Complete scaffold	0 1 2	NEW!	Art.-No. 710222					
Assembly in accordance to the new DIN EN 1004-1:2020				✓	✓	✓	✓	✓





Ladders and scaffold systems



KRAUSE-Werk GmbH & Co. KG
Am Kreuzweg 3
D-36304 Alsfeld
Tel.: +49 (0) 6631 795-0
Fax: +49 (0) 6631 795-139
E-Mail: info@krause-systems.de



KRAUSE-Systems AG
Chrümble 9
CH-5623 Boswil
Tel.: +41 (0) 56 666 90 50
Fax: +41 (0) 56 666 90 51
E-Mail: info@krause-systems.ch



KRAUSE Kft.
H-2030 Érd
Tolmács u. 7.
Tel.: +36 (06) 23 521 130
Fax: +36 (06) 23 365 109
E-Mail: info@krause-systems.hu



KRAUSE Sp. z o.o.
ul. Stalowa 10
PL - 58- 100 Świdnica
Tel.: +48 (74) 851 88 00
Fax: +48 (74) 851 88 22
E-Mail: info@krause-systems.pl



ООО КРАУЗЕ-СИСТЕМС
RU-129090 Москва
ул. Гиляровского 4, стр. 5, офис 204
тел.: +7 (495) 640 46 56
факс: +7 (495) 640 46 56
E-Mail: info@krause-systems.ru



ТОО „КРАУЗЕ-СИСТЕМС“
KZ-010000, г. Нур-Султан
шоссе Коргалжын 19,
БЦ „Korgalzhyn“, офис 305 Б
Тел +7 (7172) 57 67 98
E-Mail: info@krause-systems.com.kz

Visit us online:
www.krause-systems.co.uk

