





Product Service

# ZERTIFIKAT

Nr. Z1 011393 0519 Rev. 00

## Modell(e):

BG 2201, BG 2202, BG 2203, BG 2204, BG 2205,  
BG 2206, BG 2207, BG 2208, BG 2209, BG 2210,  
BG 2211, BG 2212, BG 2213, BG 2214, BG 2215,  
BG 2216, BG 2217, BG 2218, BG 2219, BG 2220,  
BG 2221, BG 2222, BG 2223, BG 2224, BG 2225,  
BG 2226, BG 2227, BG 2228, BG 2229, BG 2230,  
BG 2231, BG 2232, BG 2233, BG 2234, BG 2235,  
BG 2236

## Kenndaten:

<b>BG 2201-2212:</b>	Fahrbare Arbeitsbühnen mit Fahrbalken
zul. Belastung	2,0 kN/m <sup>2</sup>
Abmessungen	0,7 x 2,0 m
Baugruppe-Nr.	Standhöhen
BG 2201	0,9 m
BG 2202	2,3 m
BG 2203	3,3 m
BG 2204	4,3 m
BG 2205	5,3 m
BG 2206	6,3 m
BG 2207	7,3 m
BG 2208	8,3 m
BG 2209	9,3 m
BG 2210	10,3 m
BG 2211	11,3 m
BG 2212	12,3 m
Material	
Gerüstrahmen	EN AW 6063
Plattformaufgabe	Siebdruck-Sperrholz BFU 100



Product Service

# ZERTIFIKAT

Nr. Z1 011393 0519 Rev. 00

<b>BG 2213-2224:</b>	Fahrbare Arbeitsbühnen mit Fahrbalken
zul. Belastung	2,0 kN/m <sup>2</sup>
Abmessungen	1,35 x 2,0 m
Baugruppe-Nr.	Standhöhen
BG 2213	1,3 m
BG 2214	2,3 m
BG 2215	3,3 m
BG 2216	4,3 m
BG 2217	5,3 m
BG 2218	6,3 m
BG 2219	7,3 m
BG 2220	8,3 m
BG 2221	9,3 m
BG 2222	10,3 m
BG 2223	11,3 m
BG 2224	12,3 m
Material	
Gerüstrahmen	EN AW 6063
Plattformaufgabe	Siebdruck-Sperrholz BFU 100

<b>BG 2225-2236:</b>	Fahrbare Arbeitsbühnen mit Faltrahmen
zul. Belastung	2,0 kN/m <sup>2</sup>
Abmessungen	0,7 x 2,0 m
Baugruppe-Nr.	Standhöhen
BG 2225	0,9 m
BG 2226	1,8 m
BG 2227	2,8 m
BG 2228	3,8 m
BG 2229	4,8 m
BG 2230	5,8 m
BG 2231	6,8 m
BG 2232	7,8 m
BG 2233	8,8 m
BG 2234	9,8 m
BG 2235	10,8 m
BG 2236	11,8 m
Material	
Gerüstrahmen	EN AW 6063
Plattformaufgabe	Siebdruck-Sperrholz BFU 100

**Geprüft nach:** DIN EN 1004:2005  
DIN EN 1298:1996

**Produktionsstätte(n):** 020756



ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

# CERTIFICATE

No. Z1 011393 0519 Rev. 00

**Holder of Certificate:** **KRAUSE Werk GmbH & Co. KG**  
Am Kreuzweg 3  
36304 Alsfeld  
GERMANY

**Certification Mark:**



**Product:** **Scaffold**  
**Mobile access and working towers**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

**Test report no.:** 028-713127532-002

**Valid until:** 2024-08-12

**Date,** 2019-08-26

( Günther Kahlert )



Product Service

# CERTIFICATE

No. Z1 011393 0519 Rev. 00

**Model(s):** BG 2201, BG 2202, BG 2203, BG 2204, BG 2205, BG 2206, BG 2207, BG 2208, BG 2209, BG 2210, BG 2211, BG 2212, BG 2213, BG 2214, BG 2215, BG 2216, BG 2217, BG 2218, BG 2219, BG 2220, BG 2221, BG 2222, BG 2223, BG 2224, BG 2225, BG 2226, BG 2227, BG 2228, BG 2229, BG 2230, BG 2231, BG 2232, BG 2233, BG 2234, BG 2235, BG 2236

## Parameters:

<b>BG 2201-2212:</b>	mobile scaffolds with traverse base
max. load	2,0 kN/m <sup>2</sup>
dimensions	0,7 x 2,0 m
module-no.	standing level
BG 2201	0,9 m
BG 2202	2,3 m
BG 2203	3,3 m
BG 2204	4,3 m
BG 2205	5,3 m
BG 2206	6,3 m
BG 2207	7,3 m
BG 2208	8,3 m
BG 2209	9,3 m
BG 2210	10,3 m
BG 2211	11,3 m
BG 2212	12,3 m
material	
scaffold-frame	EN AW 6063
platform-board	plywood BFU 100

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

# CERTIFICATE

No. Z1 011393 0519 Rev. 00

<b>BG 2213-2224:</b>	mobile scaffolds with traverse base
max. load	2,0 kN/m <sup>2</sup>
dimensions	1,35 x 2,0 m
module-no.	standing level
BG 2213	1,3 m
BG 2214	2,3 m
BG 2215	3,3 m
BG 2216	4,3 m
BG 2217	5,3 m
BG 2218	6,3 m
BG 2219	7,3 m
BG 2220	8,3 m
BG 2221	9,3 m
BG 2222	10,3 m
BG 2223	11,3 m
BG 2224	12,3 m
material	
scaffold-frame	EN AW 6063
platform-board	plywood BFU 100

<b>BG 2225-2236:</b>	mobile scaffolds with foldable frame
max. load	2,0 kN/m <sup>2</sup>
dimensions	0,7 x 2,0 m
module-no.	standing level
BG 2225	0,9 m
BG 2226	1,8 m
BG 2227	2,8 m
BG 2228	3,8 m
BG 2229	4,8 m
BG 2230	5,8 m
BG 2231	6,8 m
BG 2232	7,8 m
BG 2233	8,8 m
BG 2234	9,8 m
BG 2235	10,8 m
BG 2236	11,8 m
material	
scaffold-frame	EN AW 6063
platform-board	plywood BFU 100

**Tested according to:** DIN EN 1004:2005  
DIN EN 1298:1996

**Production Facility(ies):** 020756

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT